

**SECTION 1: Identification**
**1.1. Identification**

Product form : Mixture  
 Product name : MAESTRO® 80 WSP  
 Other means of identification : PMRA No.: 33488

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Fungicide.  
 Restrictions on use : No additional information available

**1.3. Details of the supplier of the safety data sheet**

Arysta LifeScience Canada, Inc.  
 400 Michener Road, Unit 2  
 Guelph, Ontario N1K 1E4 - Canada  
 T 1-866-761-9397  
[sds@arysta.com](mailto:sds@arysta.com)

**1.4. Emergency telephone number**

Emergency number : Exposure calls (PROPHARMA): 1-866-303-6952 or +1-651-603-3432 (international)  
 Spill calls (CHEMTREC) (Contract # CCN1779): +1-800-424-9300 or +1-703-527-3887 (international)

**SECTION 2: Hazards identification**
**2.1. Classification of the substance or mixture**
**GHS classification**

Acute Tox. 4 (Inhalation:dust,mist) H332  
 Eye Dam. 1 H318  
 Skin Sens. 1 H317  
 Carc. 2 H351  
 STOT RE 2 H373  
 Aquatic Acute 1 H400

Full text of hazard classes and H-statements : see section 16

**2.2. Label elements**
**GHS labelling**

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS) :

H317 - May cause an allergic skin reaction.  
 H318 - Causes serious eye damage.  
 H332 - Harmful if inhaled.  
 H351 - Suspected of causing cancer.  
 H373 - May cause damage to organs through prolonged or repeated exposure.  
 H400 - Very toxic to aquatic life.

Precautionary statements (GHS) :

P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P260 - Do not breathe dust.  
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P272 - Contaminated work clothing must not be allowed out of the workplace  
 P273 - Avoid release to the environment.  
 P280 - Wear eye protection, protective clothing, protective gloves.  
 P302+P352 - If on skin: Wash with plenty of water  
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P310 - Immediately call a doctor  
P312 - Call a poison center/doctor/... if you feel unwell  
P314 - Get medical advice/attention if you feel unwell.  
P321 - Specific treatment (see First aid measures on this label)  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P391 - Collect spillage.  
P405 - Store locked up.  
P501 - Dispose of contents/container to Collection point

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS)

1.13% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)  
2.14% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)  
1.13% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	% (w/w)	GHS classification
Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide	(CAS.No.) 133-06-2	80.0	Acute Tox. 3 (Inhalation:dust,mist), H331 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351 Aquatic Acute 1, H400
Dispersing agent	(CAS.No.) trade secret	1 - 2	STOT RE 2, H373
Sodium diisopropyl naphthalene sulfonate	(CAS.No.) 1322-93-6	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319
folpet (ISO) N-(trichloromethylthio)phthalimide	(CAS.No.) 133-07-3	0.1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Carc. 2, H351 Aquatic Acute 1, H400

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Do NOT induce vomiting. Drink plenty of water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause damage to organs through prolonged or repeated exposure. Suspected of causing cancer.

Symptoms/effects after inhalation : Harmful if inhaled.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Halons. Dry powder. Water fog.  
Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Burning produces irritating, toxic and noxious fumes.  
Reactivity : No dangerous reactions known.

#### 5.3. Advice for firefighters

Firefighting instructions : Do not allow run-off from fire fighting to enter drains or water courses. Exercise caution when fighting any chemical fire.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid creating or spreading dust. Do not get in eyes, on skin, or on clothing. Do not breathe dust.

##### 6.1.1. For non-emergency personnel

Protective equipment : Chemical goggles or safety glasses. Dust impervious gloves. Do not breathe dust.  
Emergency procedures : Evacuate unnecessary personnel. Stop leak without risks if possible.

##### 6.1.2. For emergency responders

Protective equipment : Chemical goggles or safety glasses. Dust impervious gloves. Avoid breathing dust.  
Emergency procedures : Ventilate area. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Do not discharge into drains or the environment. Prevent dispersion. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Avoid generating dust. Stop the flow of material, if this is without risk.  
Methods for cleaning up : Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting.

#### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not store near food, foodstuffs, drugs, or potable water supplies. Keep container closed when not in use.

Incompatible products : Alkalis and caustic products.  
Heat and ignition sources : Keep away from heat, sparks and flame.  
Prohibitions on mixed storage : Incompatible materials.  
Storage area : Store in dry, cool, well-ventilated area.

#### 7.3. Specific end use(s)

Fungicide.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

MAESTRO® 80 WSP	
ACGIH	Not applicable

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

MAESTRO® 80 WSP		
OSHA	Not applicable	
Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	Skin irr; DSEN; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	Not applicable	
folpet (ISO)N-(trichloromethylthio)phthalimide (133-07-3)		
ACGIH	Not applicable	
OSHA	Not applicable	
Dispersing agent (trade secret)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Inhalable particulates not otherwise specified); 3 mg/m <sup>3</sup> (Respirable particulates not otherwise specified)
OSHA	Not applicable	
Sodium diisopropyl naphthalene sulfonate (1322-93-6)		
ACGIH	Not applicable	
OSHA	Not applicable	

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Avoid dispersal of dust in the air (ie, clearing dust surfaces with compressed air). Use only outdoors or in a well-ventilated area.
- Environmental exposure controls : Prevent leakage or spillage.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear dust impervious gloves.

#### Eye protection:

Chemical goggles or safety glasses. In case of dust production: protective goggles

#### Skin and body protection:

Long sleeved protective clothing

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear appropriate mask

#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Solid
- Appearance : Powder.

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

Colour	: Off-white
Odour	: No data available
Odour threshold	: No data available
pH	: 7 - 9.5 (1% solution)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Caustic products.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : hydrogen chloride. Carbonyl sulfide. Carbon disulfide. Thiophosgene.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Likely routes of exposure	: Inhalation. Skin and eye contact.
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.

MAESTRO® 80 WSP	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2.23 mg/l/4h
ATE US (dust,mist)	1.5 mg/l/4h

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

MAESTRO® 80 WSP	
Unknown acute toxicity (GHS)	1.13% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 2.14% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 1.13% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	0.27 - 0.67 mg/l/4h
ATE US (vapours)	0.27 mg/l/4h
ATE US (dust,mist)	0.27 mg/l/4h

folpet (ISO)N-(trichloromethylthio)phthalimide (133-07-3)	
ATE US (dust,mist)	1.5 mg/l/4h

Dispersing agent (trade secret)	
LD50 oral rat	> 12000 mg/kg

Sodium diisopropyl naphthalene sulfonate (1322-93-6)	
ATE US (oral)	500 mg/kg bodyweight
ATE US (gases)	4500 ppmv/4h
ATE US (vapours)	11 mg/l/4h
ATE US (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified (Slightly irritating to skin)
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)	
IARC group	3 - Not classifiable

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.

Dispersing agent (trade secret)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: May cause damage to organs through prolonged or repeated exposure. Suspected of causing cancer.
Symptoms/effects after inhalation	: Harmful if inhaled.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)	
LC50 fish 1	50 µg/l 96 h Rainbow trout
LC50 other aquatic organisms 1	1.6 mg/l green algae
EC50 Daphnia 1	4.7 mg/l 48 h
LC50 fish 2	240 µg/l 96 h Mirror carp

Dispersing agent (trade secret)	
LC50 fish 1	361 ppm 96h Pimephales promelas

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

### 12.2. Persistence and degradability

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

Biodegradation DT50 of < 1 day in aerobic and anaerobic soil

#### Dispersing agent (trade secret)

Persistence and degradability Biodegrades slowly.

Biochemical oxygen demand (BOD) 0.021 g O<sub>2</sub>/g substance (5 day/day); 0.043 g O<sub>2</sub>/g (30 day/days)

### 12.3. Bioaccumulative potential

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

Bioaccumulative potential Not expected to bioaccumulate.

### 12.4. Mobility in soil

#### Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)

Ecology - soil Non-mobile.

### 12.5. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Waste treatment methods : Do not dispose in household garbage.  
Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

### Transportation of Dangerous Goods

- Transport document description : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (captan), 9, III  
UN-No. (TDG) : UN 3077  
Proper Shipping Name (Transportation of Dangerous Goods) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
TDG Primary Hazard Classes : 9 - Class 9 - Miscellaneous Products, Substances or Organisms  
Packing group : III - Minor Danger  
TDG Special Provisions : Small means of containment (<= 450 L) Not Regulated; Large means of containment (> 450 L) Regulated as stated

### Transport by sea

#### IMDG

Transport hazard class(es) (IMDG) : 9



Marine pollutant : Yes

UN-No. (IMDG) : 3077

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (captan), 9, III, MARINE POLLUTANT

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

### Air transport

#### IATA

Transport hazard class(es) (IATA) : 9

# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR



Marine pollutant : Yes  
UN-No. (IATA) : 3077  
Transport document description (IATA) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (captan), 9, III  
Class (IATA) : 9 - Miscellaneous Dangerous Goods  
Packing group (IATA) : III - Minor Danger

### SECTION 15: Regulatory information

#### CANADA

##### **Captan: N-[(trichloromethyl)thio]-4-cyclohexene-1, 2-dicarboximide (133-06-2)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### **folpet (ISO)|N-(trichloromethylthio)phthalimide (133-07-3)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

##### **Dispersing agent (trade secret)**

Listed on the Canadian DSL (Domestic Substances List) inventory.

### SECTION 16: Other information

Data sources : European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

#### Full text of H-statements:

Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

#### Abbreviations and acronyms:

	ACGIH (American Conference of Government Industrial Hygienists)
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals)
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act



# MAESTRO® 80 WSP

## Safety Data Sheet

Canada HPR

	TWA: Time Weighted Average
--	----------------------------

**SDS Prepared by:**

The Redstone Group  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio, USA 43017  
614.923.7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*